



















































Hitsauspöydät 28mm reijityksellä			
Kuvaus	Kuva	Koko (mm)	Tuotekoodi
3D nitrattu hitsauspöytä standardi / nelireikä	 <p>Recommend</p>	1000x1000x200	TA281010N
		1200x800x200	TA281208N
		1200x1200x200	TA281212N
		1500x1000x200	TA281510N
		1500x1500x200	TA281515N
		2000x1000x200	TA282010N
		2000x1200x200	TA282012N
		2000x2000x200	TA282020N
		2400x1200x200	TA282412N
		3000x1500x200	TA283015N
4000x2000x200	TA284020N		
3D nitrattu hitsauspöytä diagonaali / viisireikä	 <p>Recommend</p>	1000x1000x200	TA281010D
		1200x800x200	TA281208D
		1200x1200x200	TA281212D
		1500x1000x200	TA281510D
		1500x1500x200	TA281515D
		2000x1000x200	TA282010D
		2000x1200x200	TA282012D
		2000x2000x200	TA282020D
		2400x1200x200	TA282412D
		3000x1500x200	TA283015D
4000x2000x200	TA284020D		
2D nitrattu hitsauspöytä standardi / nelireikä		1000x1000x150	TA281010E
		1500x1000x150	TA281510E
		1200x1200x150	TA281212E
		2000x1000x150	TA282010E
		2400x1200x150	TA282412E
		3000x1500x150	TA283015E
2D nitrattu hitsauspöytä diagonaali / viisireikä		1000x1000x150	TA281010DE
		1500x1000x150	TA281510DE
		1200x1200x150	TA281212DE
		2000x1000x150	TA282010DE
		2400x1200x150	TA282412DE
		3000x1500x150	TA283015DE
3D valurauta hitsauspöytä standardi / nelireikä		1500x1000x200	TA281510C
		2000x1000x200	TA282010C
		2400x1200x200	TA282412C
		3000x1500x200	TA283015C
		4000x2000x200	TA284020C

3D valurauta hitsauspöytä diagonaali / viisreikä		1500x1000x200	TA281510CD
		2000x1000x200	TA282010CD
		2400x1200x200	TA282412CD
		3000x1500x200	TA283015CD
		4000X2000X200	TA284020CD
Nitrattu kahdeksankulmio hitsauspöytä		600x600x100	TA2860
		800x800x200	TA2880
		1000x1000x200	TA28100
		1200x1200x200	TA28120
		1400x1400x200	TA28140
		1500x1500x200	TA28150
Jalat			
Standardi jalka		D89 x 250	TU28250
		D89 x 450	TU28450
		D89 x 650	TU28650
Rullajalka		D89 x 650	TU28650.1
Säädettävä jalka		D89 x 550-900	TU28900
Standardi jalka suorakaide		90x90x550	TUS550
		90x90x650	TUS650
Säädettävä jalka suorakaide		90x90x550-900	TUS4570
Rullajalka suorakaide		90x90x550	TUSW550
		90x90x650	TUSW650

Kiinnittimet ja tarvikkeet				
Spacer angle – U-Shape		500x200x200	UF280500	
		1000x200x200	UF281000	
		1500x200x200	UF281500	
		2000x200x200	UF282000	
		3000x200x200	UF283000	
Clamping and Locating Angle		275x100x300(left)	ZC28300.1	
		275x100x300(right)	ZC28300.2	
		325x100x600(left)	ZC28600.1	
		325x100x600(right)	ZC28600.2	
		375x100x800(left)	ZC28800.1	
		375x100x800(right)	ZC28800.2	
Clamping and Locating Angle		200x75x300	ZC28152	
			200x75x500	ZC28162
				276x85x750
		276x85x750		ZC28167
Stop and Clamping Square		276x95x500	ZC28164	
		276x95x500	ZC28165	
Clamping Plate 350 for DIN Flanges Clamping Plate 550 for DIN Flanges		350x250x25	FP28350	
		550x350x25	FP28550	
Corner Module		200x200x175	JX28001	
Consoles		300x200x100	FL28300	
		500x200x100	FL28500	

Universal Pivot and Tilt Angle		500x100x100	JD28500	
Locating Tools		175x50x175 Holes/Holes	DJ28175175	
		175x50x175 Slot/Slot	DJ28175175.1	
		175x50x175 Holes/Slot	DJ28175175.2	
		175x50x75	DJ2817575	
		75x50x75	DJ287575	
		200x50x175	DJ28200175	
		175x50x275	DJ28275175	
		100x50x25	PC28100	
		100x50x25	PC28100-02	
		150x50x25	PC28150	
		225x50x25	PC28225	
		300x50x25	PC28300	
	Locating Tools		500x100x25	PC28500
			750x100x50	PC28750
		1000x100x50	PC281000	

Plane Angle Locator		250x150x5	JP28250
Flat Angle Bracket		175x175x25	PM28175
		275x175x25	PM28275
		500x375x25	PM28500
V-block Locations		D60x135°	VX2860135
		D80x90°	VX288090
		D120x157°	VX28120157
180° Swing Clamping (Spiral Clamping)		220X270	YJ28001
90° Swing Clamping (Spiral Clamping)		270X100	YJ28002
Basic Pipe Clamp 45°		220x270	YJ28003
Basic Pipe Clamp 45°		220x350	YJ28003.1
screw clamp 180° Plus		220x350	YJ28001.2
Pipe Clamp Universal (45°, 90°, 180°)		220x270	YJ28009
Compensating screw clamp		150x350	YJ28010
Professional Fast Tension Clamp		80x250	YJ28011
F-Clamp		120x200	FJ200
		120x250	FJ250
		140x300	FJ300

Vertical Round Pipe		D28x350	YJ28012
Threaded Arbor with hexagon		150	YJ28013
Vertical Toggle Clamp with base		200x150x50	YJ28004
Push Pull (Horizontal) Toggle Clamp with base		200x100x50	YJ28005
Vertical Toggle Clamp with Adapter			YJ28007
Horizontal Toggle Clamp with Adapter			YJ28008
Eccentric Stop Ø 60		D60x25mm(Height)	GP2860
Eccentric Toggle Locating Plate		D100x25mm(Height)	GP28100
2-point Clamping Bridge		170x35x20	YT28006
Rapid Locking Pin		D28 x 50	SX28001
		D28 x 75	SX28001.1
Countersunk Head Fast Locking Pin		D28x50	SX28002
		D28x75	SX28002.1
Positioning Bolt		D28x50	DX2850
Magnetic Locking Pin		D28x25	CX2850
Magnetic Locking Pin		D28x50	CX2875

Connecting Bolt		D28x50	LX2850
Fast Clamping Bolt		D28x50	SX28510
Fast Clamping Bolt		D28x75	SX28512
Rapid Locking Pin with Handle		D28x50	SX28005
Prism Extension		D28x150	VX28649
Adjustable Spacer		D80x95 (Max Height)	TG28001
Transport Ring		Max Bearing Force: 2T	QD28001
Accessory Cart		1100x1000x650mm	GJ28001
Ground Connector		D28	JD28001
Spacer set		0.5-20	TZ28001
Hexagon Allen Wrench		14	BS28001
Nylon Brush		D30x80	MS28001
Oil Stone			YS28001
Pump Spray Bottle		1L	YF28001
Burner Holder			HQ28001

Kiinnitin setit SYSTEM 28

SET 1

180°Clamp	45°Clamp	90°Clamp	V-Block	Fast Bolt	Stop	Stop	
220*270	220*270	100*270	φ60*135°	φ28*50	150*50*25	225*50*25	
YJ28001	YJ28003	YJ28002	VX2860135	SX28001	PC28150	PC28225	
4x	2x	2x	2x	12x	4x	4x	
Square	Square	Ground connector	Burner Holder	Eccentric Stop	Allen Wrench	Brush	Oilstone
175*175*50	200*300*75	φ28	200mm	φ100*25	14mm	φ30	180*60*28
DJ28175175.2	ZC28152	JD28001	HQ28001	GP28100	BS28001	MS28001	YS28001
2x	2x	1x	1x	1x	1x	1x	1x






















SET 2

180°Clamp	45°Clamp	90°Clamp	V-Block	Fast Bolt	Magnetic Bolt	Stop	Allen Wrench	Brush
220*270	220*270	100*270	φ60*135°	φ28*50	φ28*25	150*50*25	14mm	φ30
YJ28001	YJ28003	YJ28002	VX2860135	SX28001	CX2850	PC28150	BS28001	MS28001
6x	4x	2x	4x	18x	4x	6x	1x	1x
Stop	Square	Square	Square	Ground connector	Burner Holder	Eccentric Stop	Oilstone	
225*50*25	175*175*50	200*300*75	200*500*75	φ28	200mm	φ100*25	180*60*28	
PC28225	DJ28175175.2	ZC28152	ZC28162	JD28001	HQ28001	GP28100	YS28001	
6x	4x	2x	2x	1x	1x	1x	1x	

SET 3








180°Clamp	45°Clamp	90°Clamp	V-Block	Fast Bolt	Magnetic Bolt	Stop	Brush	Oilstone
220*270	220*270	100*270	φ60*135°	φ28*50	φ28*25	150*50*25	φ30	180*60*28
YJ28001	YJ28003	YJ28002	VX2860135	SX28001	CX2850	PC28150	MS28001	YS28001
10x	6x	2x	4x	24x	4x	8x	1x	1x
Stop	Square	Square	Square	Square	Ground connector	Burner Holder	Eccentric Stop	Allen Wrench
225*50*25	175*175*50	200*300*75	200*500*75	276*750*85	φ28	200mm	φ100*25	14mm
PC28225	DJ28175175.2	ZC28152	ZC28162	ZC28166+67	JD28001	HQ28001	GP28100	BS28001
8x	6x	2x	2x	1x+1x	1x	1x	1x	1x








SET
4

						
180°Clamp	45°Clamp	90°Clamp	V-Block	Fast Bolt	Magnetic Bolt	Stop
220*270	220*270	100*270	φ60*135°	φ28*50	φ28*25	150*50*25
YJ28001	YJ28003	YJ28002	VX2860135	SX28001	CX2850	PC28150
14x	10x	2x	6x	30x	8x	10x
						
Stop	Stop	Square	Square	Square	Square	Square
225*50*25	500*100*25	175*175*50	200*300*75	200*500*75	276*500*95	276*750*85
PC28225	PC28500	DJ28175175.2	ZC28152	ZC28162	ZC28164+65	ZC28166+67
10x	4x	8x	2x	2x	1x+1x	1x+1x
						
Ground connector	Burner Holder	Eccentric Stop	Allen Wrench	Brush	Oilstone	Tool Cart
φ28	200mm	φ100*25	14mm	φ30	180*60*28	900*1070*700
JD28001	HQ28001	GP28100	BS28001	MS28001	YS28001	GJ28001
1x	1x	1x	1x	1x	1x	1x

SET 5

























































						
180°Clamp	45°Clamp	90°Clamp	V-Block	Fast Bolt	Magnetic Bolt	Stop
220*270	220*270	100*270	φ60*135°	φ28*50	φ28*25	150*50*25
YJ28001	YJ28003	YJ28002	VX2860135	SX28001	CX2850	PC28150
14x	10x	2x	8x	36x	8x	12x

						
Stop	Stop	Square	Square	Square	Square	Square
225*50*25	500*100*25	175*175*50	200*300*75	200*500*75	276*500*95	276*750*85
PC28225	PC28500	DJ28175175.2	ZC28152	ZC28162	ZC28164+65	ZC28166+67
12x	4x	12x	2x	2x	1x+1x	1x+1x

						
Square	Ground connector	Burner Holder	Eccentric Stop	Allen Wrench	Brush	Oilstone
376*800*95	φ28	200mm	φ100*25	14mm	φ30	180*60*28
ZC28800.1+2	JD28001	HQ28001	GP28100	BS28001	MS28001	YS28001
1x+1x	1x	1x	1x	1x	1x	1x



Tool Cart
900*1070*700
GJ28001
1x

SET A	     	    																																											
	<table border="1"> <tr> <td>180°Clamp</td> <td>90°Clamp</td> <td>145°Clamp</td> <td>Fast Bolt</td> <td>Magnetic Bolt</td> <td>V-Block</td> </tr> <tr> <td>220-270mm</td> <td>100-270mm</td> <td>220-270mm</td> <td>Ø28-50mm</td> <td>Ø28-25mm</td> <td>Ø60-135°</td> </tr> <tr> <td>YJ28001</td> <td>YJ28002</td> <td>YJ28003</td> <td>SX28001</td> <td>CX2825</td> <td>VX2860135</td> </tr> <tr> <td>16x</td> <td>8x</td> <td>8x</td> <td>24x</td> <td>4x</td> <td>4x</td> </tr> </table>	180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block	220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°	YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135	16x	8x	8x	24x	4x	4x	<table border="1"> <tr> <td>Square</td> <td>Transport Ring</td> <td>Eccentric Stop</td> <td>Byrner holder</td> <td>Ground connector</td> </tr> <tr> <td>325-100-600mm</td> <td>Max Bearing Force: 2T</td> <td>Ø100-25mm</td> <td>Burnished</td> <td>JD28001</td> </tr> <tr> <td>ZC28600.1+2</td> <td>QD28001</td> <td>GP100</td> <td>HQ28001</td> <td>JD28001</td> </tr> <tr> <td>1x+1x</td> <td>1x</td> <td>1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Square	Transport Ring	Eccentric Stop	Byrner holder	Ground connector	325-100-600mm	Max Bearing Force: 2T	Ø100-25mm	Burnished	JD28001	ZC28600.1+2	QD28001	GP100	HQ28001	JD28001	1x+1x	1x	1x	1x
180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block																																								
220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°																																								
YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135																																								
16x	8x	8x	24x	4x	4x																																								
Square	Transport Ring	Eccentric Stop	Byrner holder	Ground connector																																									
325-100-600mm	Max Bearing Force: 2T	Ø100-25mm	Burnished	JD28001																																									
ZC28600.1+2	QD28001	GP100	HQ28001	JD28001																																									
1x+1x	1x	1x	1x	1x																																									
	       																																												
	<table border="1"> <tr> <td>Stop</td> <td>Stop</td> <td>Square</td> <td>Square</td> <td>Square</td> <td>Allen wrench</td> <td>Brush</td> <td>Oilstone</td> </tr> <tr> <td>150-50-25mm</td> <td>225-50-25mm</td> <td>175-175-50mm</td> <td>275-175-50mm</td> <td>275-100-300mm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>PC28150</td> <td>PC28225</td> <td>DJ28175175-3</td> <td>DJ28275175</td> <td>ZC28300.1+2</td> <td>BS28001</td> <td>MS28001</td> <td>YS28001</td> </tr> <tr> <td>10x</td> <td>10x</td> <td>10x</td> <td>10x</td> <td>1x+1x</td> <td>1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Stop	Stop	Square	Square	Square	Allen wrench	Brush	Oilstone	150-50-25mm	225-50-25mm	175-175-50mm	275-175-50mm	275-100-300mm				PC28150	PC28225	DJ28175175-3	DJ28275175	ZC28300.1+2	BS28001	MS28001	YS28001	10x	10x	10x	10x	1x+1x	1x	1x	1x												
Stop	Stop	Square	Square	Square	Allen wrench	Brush	Oilstone																																						
150-50-25mm	225-50-25mm	175-175-50mm	275-175-50mm	275-100-300mm																																									
PC28150	PC28225	DJ28175175-3	DJ28275175	ZC28300.1+2	BS28001	MS28001	YS28001																																						
10x	10x	10x	10x	1x+1x	1x	1x	1x																																						
SET B	     	    																																											
	<table border="1"> <tr> <td>180°Clamp</td> <td>90°Clamp</td> <td>145°Clamp</td> <td>Fast Bolt</td> <td>Magnetic Bolt</td> <td>V-Block</td> </tr> <tr> <td>220-270mm</td> <td>100-270mm</td> <td>220-270mm</td> <td>Ø28-50mm</td> <td>Ø28-25mm</td> <td>Ø60-135°</td> </tr> <tr> <td>YJ28001</td> <td>YJ28002</td> <td>YJ28003</td> <td>SX28001</td> <td>CX2825</td> <td>VX2860135</td> </tr> <tr> <td>20x</td> <td>10x</td> <td>10x</td> <td>36x</td> <td>8x</td> <td>6x</td> </tr> </table>	180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block	220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°	YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135	20x	10x	10x	36x	8x	6x	<table border="1"> <tr> <td>Square</td> <td>Square</td> <td>Transport Ring</td> <td>Eccentric Stop</td> <td>Byrner holder</td> </tr> <tr> <td>275-100-300mm</td> <td>325-100-600mm</td> <td>Max Bearing Force: 2T</td> <td>Ø100-25mm</td> <td>Burnished</td> </tr> <tr> <td>ZC28300.1+2</td> <td>ZC28600.1+2</td> <td>QD28001</td> <td>GP100</td> <td>HQ28001</td> </tr> <tr> <td>1x+1x</td> <td>1x+1x</td> <td>1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Square	Square	Transport Ring	Eccentric Stop	Byrner holder	275-100-300mm	325-100-600mm	Max Bearing Force: 2T	Ø100-25mm	Burnished	ZC28300.1+2	ZC28600.1+2	QD28001	GP100	HQ28001	1x+1x	1x+1x	1x	1x
180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block																																								
220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°																																								
YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135																																								
20x	10x	10x	36x	8x	6x																																								
Square	Square	Transport Ring	Eccentric Stop	Byrner holder																																									
275-100-300mm	325-100-600mm	Max Bearing Force: 2T	Ø100-25mm	Burnished																																									
ZC28300.1+2	ZC28600.1+2	QD28001	GP100	HQ28001																																									
1x+1x	1x+1x	1x	1x	1x																																									
	        																																												
	<table border="1"> <tr> <td>Stop</td> <td>Stop</td> <td>Stop</td> <td>Square</td> <td>Square</td> <td>Ground connector</td> <td>Allen wrench</td> <td>Brush</td> <td>Oilstone</td> </tr> <tr> <td>150-50-25mm</td> <td>225-50-25mm</td> <td>900-100-25mm</td> <td>175-175-50mm</td> <td>275-175-50mm</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PC28150</td> <td>PC28225</td> <td>PC28500</td> <td>DJ28175175-3</td> <td>DJ28275175</td> <td>JD28001</td> <td>BS28001</td> <td>MS28001</td> <td>YS28001</td> </tr> <tr> <td>20x</td> <td>20x</td> <td>2x</td> <td>15x</td> <td>15x</td> <td>1x</td> <td>1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Stop	Stop	Stop	Square	Square	Ground connector	Allen wrench	Brush	Oilstone	150-50-25mm	225-50-25mm	900-100-25mm	175-175-50mm	275-175-50mm					PC28150	PC28225	PC28500	DJ28175175-3	DJ28275175	JD28001	BS28001	MS28001	YS28001	20x	20x	2x	15x	15x	1x	1x	1x	1x								
Stop	Stop	Stop	Square	Square	Ground connector	Allen wrench	Brush	Oilstone																																					
150-50-25mm	225-50-25mm	900-100-25mm	175-175-50mm	275-175-50mm																																									
PC28150	PC28225	PC28500	DJ28175175-3	DJ28275175	JD28001	BS28001	MS28001	YS28001																																					
20x	20x	2x	15x	15x	1x	1x	1x	1x																																					
SET C	     	    																																											
	<table border="1"> <tr> <td>180°Clamp</td> <td>90°Clamp</td> <td>145°Clamp</td> <td>Fast Bolt</td> <td>Magnetic Bolt</td> <td>V-Block</td> </tr> <tr> <td>220-270mm</td> <td>100-270mm</td> <td>220-270mm</td> <td>Ø28-50mm</td> <td>Ø28-25mm</td> <td>Ø60-135°</td> </tr> <tr> <td>YJ28001</td> <td>YJ28002</td> <td>YJ28003</td> <td>SX28001</td> <td>CX2825</td> <td>VX2860135</td> </tr> <tr> <td>30x</td> <td>15x</td> <td>15x</td> <td>48x</td> <td>10x</td> <td>8x</td> </tr> </table>	180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block	220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°	YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135	30x	15x	15x	48x	10x	8x	<table border="1"> <tr> <td>Square</td> <td>Square</td> <td>Square</td> <td>Transport Ring</td> <td>Eccentric Stop</td> </tr> <tr> <td>275-100-300mm</td> <td>325-100-600mm</td> <td>375-100-800mm</td> <td>Max Bearing Force: 2T</td> <td>Ø100-25mm</td> </tr> <tr> <td>ZC28300.1+2</td> <td>ZC28600.1+2</td> <td>ZC289001+2</td> <td>QD28001</td> <td>GP100</td> </tr> <tr> <td>1x+1x</td> <td>1x+1x</td> <td>1x+1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Square	Square	Square	Transport Ring	Eccentric Stop	275-100-300mm	325-100-600mm	375-100-800mm	Max Bearing Force: 2T	Ø100-25mm	ZC28300.1+2	ZC28600.1+2	ZC289001+2	QD28001	GP100	1x+1x	1x+1x	1x+1x	1x
180°Clamp	90°Clamp	145°Clamp	Fast Bolt	Magnetic Bolt	V-Block																																								
220-270mm	100-270mm	220-270mm	Ø28-50mm	Ø28-25mm	Ø60-135°																																								
YJ28001	YJ28002	YJ28003	SX28001	CX2825	VX2860135																																								
30x	15x	15x	48x	10x	8x																																								
Square	Square	Square	Transport Ring	Eccentric Stop																																									
275-100-300mm	325-100-600mm	375-100-800mm	Max Bearing Force: 2T	Ø100-25mm																																									
ZC28300.1+2	ZC28600.1+2	ZC289001+2	QD28001	GP100																																									
1x+1x	1x+1x	1x+1x	1x	1x																																									
	     																																												
	<table border="1"> <tr> <td>Byrner holder</td> <td>Ground connector</td> <td>Allen wrench</td> <td>Brush</td> <td>Oilstone</td> <td>Accessory Cart</td> </tr> <tr> <td>Burnished</td> <td></td> <td></td> <td>Ø30-80mm</td> <td></td> <td>110-1000-650mm</td> </tr> <tr> <td>HQ28001</td> <td>JD28001</td> <td>BS28001</td> <td>MS28001</td> <td>YS28001</td> <td>GJ28001</td> </tr> <tr> <td>1x</td> <td>1x</td> <td>1x</td> <td>1x</td> <td>1x</td> <td>1x</td> </tr> </table>	Byrner holder	Ground connector	Allen wrench	Brush	Oilstone	Accessory Cart	Burnished			Ø30-80mm		110-1000-650mm	HQ28001	JD28001	BS28001	MS28001	YS28001	GJ28001	1x	1x	1x	1x	1x	1x																				
Byrner holder	Ground connector	Allen wrench	Brush	Oilstone	Accessory Cart																																								
Burnished			Ø30-80mm		110-1000-650mm																																								
HQ28001	JD28001	BS28001	MS28001	YS28001	GJ28001																																								
1x	1x	1x	1x	1x	1x																																								